

e-STUDIO287cs

e-STUDIO347cs

e-STUDIO407cs

Datasheet

- > Enjoy the full print, scan, copy, and fax functionality these three colour systems offer and increase your workflow efficiency.
- > Excellent image quality gives your documents an impressive look and feel while reflecting the professionalism of your business.
- > Outstanding document security is ensured thanks to the Toshiba Secure HDD, which protects your data from unauthorised access.
- > Ease of use is a given and will help optimise your document workflow.
- > Low power consumption, duplex printing and energy save modes are just a few of the features to support an economical and ecological business environment.



The e-STUDIO287cs/347cs/407cs are highly sophisticated A4 colour systems, which cover all needs of a modern business. With print speeds of 28, 34 and 40 pages per minute, these models significantly enhance your productivity.

These compact allrounders deliver impressive image quality and offer finishing options which allow you to create professional looking documents. Optional paper sources allow a maximum paper capacity of up to 2,630 sheets, ensuring that even large print jobs can be processed without interruptions.

Helping create a sustainable business environment is one of Toshiba's core principles. The e-STUDIO407cs series was designed to operate at low energy and save resources. All three models fully comply with the ENERGY STAR® emission standards.

SPECIFICATIONS

General

Print & Copy Speed	Colour: 28/34/40 ppm Monochrome: 28/36/40 ppm
Warm-up Time	~ 60 seconds
Paper Size & Weight	Cassette: A5-A4, 64-220 g/m ² Bypass: A6-A4, 64-250 g/m ² , Banner paper: up to 216 x 1,321 mm, 64-128 g/m ²
Paper Capacity	Cassette: 1 x 530 sheets Bypass: 1 x 100 sheets max. 3,160 sheets
Inner Output Tray	500-sheet capacity
Automatic Duplex	A5-A4, special formats ³⁾ , 64-220 g/m ²
Controller Type	Toshiba e-BRIDGE
Control Panel	9" (22.8 cm) Colour Touch Panel
Memory	Toshiba Secure HDD 320 GB ²⁾ / 2 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n)
Dimensions & Weight	522 x 604 x 811 mm (W x D x H), ~ 51 kg
Starter Kit	Toner, Drums

Print

Resolution	600 x 600 dpi (5 bit), 1,200 x 600 dpi (1 bit PS driver only)
Page Description Language	XPS, PCL 6 and PostScript 3 compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2016/2012/Server 2008R2 (64 bit), Mac OS X 10.6.8-10.12, Linux/Unix, Citrix, Novell NetWare (NDPS)/SLES, SAP, AS/400
Colour Modes	Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, Brightness, Saturation, Contrast, Colour Balance
Mobile Print	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service
Print Functions	Universal Printer Driver, One-touch templates, Driver plug-ins ¹⁾ , Print from USB, Multiple pages per sheet, AirPrint, etc.

Scan

Resolution	max. 600 x 600 dpi
Scan Speed	Colour & Monochrome: 40 ipm (300 dpi)
Document Feeder	Simplex: max. 100 sheets, A6-A4, 60-105 g/m ² Duplex: max. 100 sheets, A5-A4, 60-105 g/m ²
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, Searchable PDF ¹⁾ (and other formats like DOCX, XLSX, RTF, TXT, PDF/A) ¹⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, SPX/IPX, Local), Meta Scan ¹⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: max. 600 x 600 dpi Print: 600 x 600 dpi
First Copy Output Time	Colour & Monochrome: ~ 13 seconds
Zoom	Platen: 25-400% RADF: 25-200%
Copy Modes	Text, Text/Photo, Photo, Image Smoothing, Printed Image, Map
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Electronic Sort, ID Card copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax¹⁾

Communication	Super G3, G3, Internet Fax T.37
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB (HDD) Transmission/Reception
Network-Fax	Driver for Windows 8/7/Vista/Server 2008/Server 2003 (32/64 bit), Server 2012/Server 2008R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾ , TopAccess for remote administration and configuration
System Features	e-Filing document server for secure storage, document distribution and print on demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ¹⁾ , Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 depart- ment & 10,000 user codes, Card Reader ¹⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, Port filter, Support of SSL and IPSec ¹⁾ protocols, IEEE802.1x support, Scan to Secure PDF



¹⁾ Optional

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less.
Available capacity will also be less if software applications are pre-installed.


³⁾ See technical documentation.

OPTIONS

PAPER FEED UNIT – MY-1045	530-sheet capacity, A5-A4, 64-220 g/m ²
LARGE CAPACITY FEEDER – KD-1040	1 Cassette, 2,000 sheets, A4, 64-220 g/m ²
INNER FINISHER – MJ-1038	1 tray, 500-sheet capacity 50-sheets stapling, offset stacking Stapling Mode: A5-A4, 64-104 g/m ²
OFFLINE STAPLER – MJ-1039	20-sheet offline stapler, one position

CASTER – GR-1170
SPACER – GR-1160
DESK – MH-3400
FAX BOARD – GD-1340EU
WIRELESS LAN MODULE – GN-1060
e-BRIDGE ID-GATE – TWN3/4
DATA OVERWRITE ENABLER – GP-1070
META SCAN ENABLER – GS-1010
IPsec ENABLER – GP-1080
UNICODE FONT ENABLER – GS-1007

CONFIGURATION



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

